



ZGHPOS



1D Ring Type Bluetooth Barcode Scanner

ZR1R 1D image scanner which read 1D 4mil mobile phone codes and codes printed on paper labels. It is fast scan speed, it reads many different codes with wireless bluetooth&2.4G for connection.

ZR1R with small size, easy to carry, three scanning modes, including continuous scanning mode, manual scanning mode and induction scanning mode.

It provide feedback mechanism through LED lights, buzzer and vibration .

Mobile phone fast charging technology, charging time is less than 1 hour, and the battery can be recharged more than 1000 times.

Ultra-long working time, with an average scan time of 5 seconds, it can work for 12 hours in one dimension and 8 hours in two dimensions when fully charged.

Support Chinese transmission, automatically reconnect after Bluetooth is disconnected

The data transmission format, data editing setting, and bar code type setting can be changed by reading the setting bar code



Features

- Ergonomic design, comfortable using
- With 2.4G and Bluetooth dual mode, stable wireless transmission.
- Support Bluetooth SPP, HID, BLE.
- With 2.4G and Bluetooth dual mode, stable wireless transmission.

Characteristics

Physical Parameters

Light Source 650nm visible laser

Scan Rate 100 ± 10 scanscond




Reading preciseness 0.10mm(4mil)


Interface	Bluetooth 4.0/USB/2.4G
Battery	DC 3.7V,360mA Li-ion battery
Memory	512KB
Support OS	Microsoft Windows XP/7.0/8.0/10,Android, iOS.
Reading Distance	2.5-600mm(100%UPC/EAN)
Barcode types	Codabar, Code 11, Code 93, MSI, Code 128, UCC/EAN-128, Code 39, E13, UPC-A, ISBN, Industrial 25, Interleaved 25, Standard 25, 2/5 Matrix, databar(formerly RSS) variants.
Scan scope	10mm-250mm
Scanning angle	Roll:±35 degree / Pitch:±65 degree / Yaw:±50 degree
Bit error rate	1/5million
Power voltage	5V
Safety performance	FCC, CE & Rohs
Dimension	53mm*29mm*36mm
Weight	65g (include battery)
Environment	
Operating Temperature	0 °C~ 50 °C/32 to 122 F
Storage Temperature	-10 °C~ 50 °C/-4 to 140 F
Humidity	20% ~ 85% (non-condensing)
Package including :	1*barcode scanner+1*User manual+1* Changer cable+1*Charger head+1*Mobile 4.0 receiver
Warranty	2 Years
Warranty	2 Years




ZGI

www.zg





**AN-8, EAN-
GS1**



hPOS

hpos.com